ATTACHMENT IX
Exhibit 340

340-1055. Murray, A. and Morrison, B. 1988. Passive smoking and the seasonal difference of severity of asthma in children. Chest 94(4):701-708.

340-1056. Musk, A. and Lindsay, D. 1986. Smoking control policy. Med. J. Austral. 144(1):28-29.

340-1057. Musk, A. and Shean, R. 1988. Passive smoking and health. Med. J. Aust. 148(1):27-28.

340-1058. Musmand, J.J., M. White, M. Lopez, and S. Lehrer. The Nasal Response to Environmental Tobacco Smoke. J Allergy Clin Immunol, Jan. 1993.

340-1059. Mussalo-Rauhamaa, H., Salmela, S., Leppanen, A., et al. 1986. Cigarettes as a source of some trace and heavy metals and pesticides in man. Arch. Environ. Health 41(1):49-55.

340-1060. Myette, N.T. Larry. Maritime Command's new smoking-reduction strategy unprecedented among world's navies. Can Med Assoc J 1993;149(2).

340-1061. Naclerio, R.M. Nasal Provocation in Occupational Allergy. Concurrent Session No.217.

340-1062. Naeye, R. 1978. Effects of maternal cigarette smoking on the fetus and placenta. Br. J. Obstet. Gynaecol. 85:732-737.

340-1063. Nakamura, K. Mortality patterns among cleaning workers. Sangyo Igaku 1985 Jan; 27(1):24-37.

340-1064. Namiesnik, Jacek, T. Gorecki, B. Zabiegala and J. Lukasiak. Indoor Air Quality (IAQ), Pollutants, Their Sources and Concentration Levels. Bldg Environ, Vol.27, No.3,pp.339-356, 1992.

340-1065. National Research Council (NRC). 1986. Environmental Tobacco Smoke: Measuring exposures and assessing health effects. Committee on passive smoking, Board on Environmental Studies and Toxicology, National Academy Press, Washington, D.C.

340-1066. Nazaroff, William W., A. Gadgil and C. Weschler. Critique of the Use of Deposition Velocity in Modeling Indoor Air Quality. Am Soc Testing Materials, 1993,pp.81-104.

2046395695

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000

ATTACHMENT IX
Exhibit 340

340-1067. Nelson, P.R., D. Heavner and B. Collie. Characterization of the Environmental Tobacco Smoke Generated by Different Cigarettes.

340-1068. Nelson, Paul R. Effect of Ventilation and Sampling Time on Environmental Tobacco Smoke Component Ratios. Environ Sci Technol 1992, 26, 1915-1921.

340-1069. Nelson, C.J., B. Leaderer, K. Teichman, L. Wallace, M. Kollander and R. Clickner. Environmental Protection Agency Indoor Air Quality and Work Environment Study: Health Symptoms and Comfort Concerns.

340-1070. Nelson, P.R., D. Heavner and G. Oldaker. Problems with the use of nicotine as a predictive environmental tobacco smoke marker.

340-1071. Nelson, P.R., J. deBethizy, R. Davis and G. Oldaker. Where there's smoke ..? Biases in the use of nicotine and cotinine as environmental tobacco smoke biomarkers.

340-1072. Nerbrand, C., Olsson, L., Sv:ardsudd, K., Kullman, S., et al. Are regional variations in ischaemic heart disease related to differences in coronary risk factors? The project 'myocardial infarction in mid-Sweden'. Eur Heart J 1991; 12(3):309-14.

340-1073. Nery, L.E., R. Florencio, P. Sandoval, R. Rodrigues, G. Alonso and G. Mason. Additive effects of exposure to silica dust and smoking on pulmonary epithelial permeability: a radioaerosol study with technetium-99m labelled DTPA.

340-1074. Neumann, H. 1984. Analysis of hemoglobin as a dose monitor for alkylating and arylating agents. Arch. Toxicol. 56:1-6.

340-1075. Neurath, G. and Pein, F. Gas chromatographic determination of trans-3'-hydroxycotinine, a major metabolite of nicotine in smokers. Journal of Chromatography; 415 (1987) 400-406.

340-1076. Neurath, G.B., M. Dunger, O. Krenz, D. Orth and F. Pein. Trans-3'-Hydroxycotinine-a Main Metabolite in Smokers. Klin Wochenschr(1988)66(Suppl XI):2-4. 8-241

340-1077. ____. NHMRC report. Effects of passive smoking on health. Med. J. Aust. 1986 Oct 20; 145(8):404-5.

2046396696

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000

ATTACHMENT IX
Exhibit 340

340-1078. NIOSH: Current intellegence Bulletin 54. Environmental tobacco smoke in the workplace. Lung cancer and other health effects. June 1991. 8-236

340-1079. Ng, T.P. K. Hui, and W. Tan. Respiratory smptoms and lung function effects of domestic exposure to tobacco smoke and cooking by gas in non-smoking women in Singapore.

340-1080. Nilsson, K., R. Henriksson, Y. Cali, S. Hellstrom, S. Bylunds and L. Bjermer. Effects of tobacco-smoke on radiation-induced pneumonitis in rats. Int. J. Radiat. Biol., 1992, Vol.62, No.6, 719-727.

340-1081. Nilsson, Lennart and B. Bjorksten. Factors Which Promote or Prevent Allergy. Epidemio Clin Allergy Monogr Allergy, Basel, Karger, 1993, Vol.31, pp.190-210.

340-1082. Noble, K. and Lauzon, R. 1986. Guidelines of administrators creating smoke-free hospitals. Dimens. Health Serv. 63(3):24-26.

340-1083. Noland, Melody Powers, R. Kryscio, R. Riggs, L. Linville, L. Perritt and T. Tucker. Saliva Continine and Thiocyanante: Chemical Indicators of Smokeless Tobacco and Cigarette Use in Adolecents. J. Behavio Med., Vol. 11, No.5, 1988.

340-1084. Norback, Dan and C. Edling. environmental, occupational, and personal factors related to the prevalence of sick building syndrome in the general population. Brit. J. Indus. Med. 1991;48:451-462.

340-1085. North, L.M., N. Gaudette, M. Cordeiro, J. Fitchen, S. Davidson and M. Hindahl. Detection of Cotinine in Oral Fluid Recovered with the OraSure Collection System.

340-1086. Oberdorster, G. and Pott, F. 1987. Extrapolation from rat studies with environmental tobacco smoke (ETS) to humans: Comparison of particle mass deposition and of clearance behavior of ETS compounds. Toxicol. Lett. 35(1):107-112.

340-1087. Occupational Noise Exposure Order Published March 8, 1983, Docket No. H-011.

340-1088. O'Connor, G., Weiss, S., Tager, I., and Speizer, F. 1987a. The effect of passive smoking on pulmonary function and nonspecific bronchial responsiveness in a population-based sample of children and young adults. Am. Rev. Respir. Dis. 135(4):800-804.

2046395697

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000

ATTACHMENT IX
Exhibit 340

340-1089. O'Connor, G., Weiss, S., Tager, I., and Speizer, F. 1987b. Published erratum. Am. Rev. Respir. Dis. 136(2):532.

340-1090. Odagiri, y. and Takemoto, K. Saitama medical School, Saitama 350-04 (Japan). Detection of the cytogenetic effect of inhaled cigarette smoke by the micronucleus test. Mutation Res Vol. 164, No.4, Aug. 1986.

340-1091. Office of Technology Assessment (OTA). 1986. Passive Smoking in the Workplace: Selected Issues. U.S. Congress Office of Technology Assessment, Special Projects Office of the Health Program. 70 pp. May.

340-1092. Office of the President. 1987. Risk and Responsibility. IN: Economic Report of the President, Washington, D.C. pp. 179-207. January. (OMP report).

340-1093. Ogden, Michael W., K. Maiolo, P. Nelson, D. Heavner and C. Green. Artefacts in Determining the Vapour-particulate Phase Distribution of Environmental Tobacco Smoke Nicotine. Environ Technol, Vol.14, pp. 779-785.

340-1094. Ogden, Michael W., K. Maiolo, G. Oldaker, and F. Conrad. Results from Surveys of Environmental Tobacco in Restaurants in Winston-Salem, North Carolina - II: Evaluation of Methods for Estimating the Contribution to Respirable Suspended Particles.

340-1095. Ohara, K., Klag, M., Sakai, Y., Whelton, P., et al. Factors associated with high density lipoprotein cholesterol in Japanese and American telephone executives. Am. J. Epidemiol. 1991 Jul 15; 134(2):137-48.

340-1096. Olander, Guy B. William Crouse and M. Depinto. On the Use of Environmental Tobacco Smoke Component Ratios.

340-1097. Olander, L., Johansson, J., and Johansson, R. 1988. Tobacco smoke removal with room air cleaners. Scand. J. Work Environ. Health 14(6):390-397.

340-1098. Olds, R. 1988. Promoting child health in a smoke-free school: Suggestions for school health personnel. J. Sch. Health 58(7):269-272.

340-1099. Olenchock, Stephen A. Health Effects of Biological Agents: The Role of Enfotoxins. Appl. occup. Environ. Hyg. 9(1), Jan. 1994.

2046395698

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000

ATTACHMENT IX
Exhibit 340

340-1100. Olsen, J. Epidemiology of sinonasal cancer in Denmark, 1943-1982. Acta Pathol Microbiol Immunol Scand [A] 1987 Jul; 95(4):171-5.

340-1101. Olsen, J. 1992. Passive smoking and lung cancer. 154 (48) 3430-3431 Nov. 22.

340-1102. Olson, J. 1985. Chronic cigarette sidestream smoke exposure increases rat trachea ornithine decarboxylase activity. Life Sci. 37(23):2165-2171. 8-245

340-1103. Olsen, J., Frische, G., and Kirchheiner, H. 1986. [The smoking habit in pregnant women. Nicotine and condensate of chosen brands of cigarettes.] Ugeskr Laeger 148(29):1846-1848. (In Danish with an English Abstract).

340-1104. O'Neil, I., Fishbein, L. An IARC Manual series aimed at assisting cancer epidemiology and prevention. "Environmental carcinogens: selected methods of analysis". Int. J. Environ. Anal. Chem. 1986; 26(3-4):229-40.

340-1105. O'Neill, I. and Riboli, E. 1987. IARC approaches to monitoring exposure of passive smoking. Toxicol. Lett. 35(1):29-33.

340-1106. Ong, T. Stewart, J. and Whong, W. A simple in situ mutagenicity test system for detection of mutagenic air pollutants. Mutation Res, 139(1984) 177-181.

340-1107. Ong, T., Stewart, J., Tucker, J., and Whong, W. 1985. Development of an In Situ test system for detection of mutagens in the workplace. Short-Term Bioassays in the Analysis of Complex Environmental Mixtures IV. Waters, M., Sandhu, S., Lewtas, J., Claxton, L., Strauss, G., and Nesnow, S., eds. Plenum Press, New York., Environmental Science Research 32:25-36.

340-1108. Ostrea, Emrique M., D. K. Knapp, A. Romero, M. Montes and A. Ostrea. Meconium anlysis to assess fetal exposure to nicotine by active and passive maternal smoking. J. Pedia, Mar. 1994.

340-1109. Ostro, B. 1989. Estimating the risks of smoking, air pollution, and passive smoke on acute respiratory conditions. Risk Analy. 9(2):189-196.

2046395699

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000

ATTACHMENT IX
Exhibit 340

340-1110. Ott, David O. Assessment of Neurobehavioral response in Humans to Low-Level Volatile Organic Compound Sources. Ann N.Y. Academy Sci.

340-1111. Ott, David, L. Molhave, H. Hudnell, G. Goldstein and J. O'Neil. Final Report (Deliverable 2520) Neurotoxic Effects of Controlled Exposure to a Complex Mixture of Volatile Organic Compounds.

340-1112. Ott, Wayne, N. Wilson, N. Klepeis and P. Switzer. Real-time monitoring of polycyclic aromatic hydrocarbons (PAH) and respirable suspended particles (RSP) from environmental tobacco smike (ETS) in a home.

340-1113. Owen, B.; Jones, T. Hazard evaluation for complex mixtures: relative comparisons to improve regulatory consistency. Regul Toxicol Pharmacol 1990 Apr; 11(2):132-48.

340-1114. Owen, M., Ensor, D., Hovis, L., and Tucker, W. 1986. Effects of office building heating and ventilation system parameters on respirable particles. Proceedings of the ASHRAE Conference IAQ'86, Managing Indoor Air for Health and Energy Conservation, April 20-23, 1986, Atlanta, Georgia, American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc. Pp. 510-522.

340-1115. Ownby, D. Environmental factors versus genetic determinants of childhood inhalant allergies. J. Allergy Clin. Immunol 1990 Sep; 86(3 Pt 1):279-87.

340-1116. Paffenbarger, R., Jr., Hyde, R., Wing, A., and Hsieh, C. 1986. Cigarette smoking and cardiovascular diseases. IARC Sci. Publ. 74:45-60.

340-1117. Page, N., Cook, B. Assessment of risk from exposure to acrylonitrile: the general approach used by a consultant. Sci Total Environ. 1990 Dec 15; 99(3):307-16: discussion 316-7.

340-1118. Panico, S., Dello Iacovo, R., Celentano, E., Galasso, R. et al. Progetto ATENA, a study on the etiology of major chronic diseases in women: design, rationale and objectives. Eur. J. Epidemiol 1992 July; 8(4):561-8.

340-1119. Palmer, Julie R. and L. Rosenberg. Cigarette Smoking and the Risk of Breast Cancer. Epidemio Reviews, Vol. 15, No.1.

2046395700

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000

ATTACHMENT IX
Exhibit 340

340-1120. DiPaolella, R. 1987. The legal rights of nonsmokers in the workplace. University of Puget Sound Law Review 10(3):591-632.

340-1121. Parker, John E., L. Petsonk and S. Weber. Hypersensitivity Pneumonitis and organic dust toxic syndrome. Immunolo Mediation Lung Disease.

340-1122. Parker, S. and Warner, K. 1989. Smoking in the workplace: Research needs and potential applications. N.Y. State J. Med. 89(1):2-4.

340-1123. Parks, Joseph J. and D. Devine. The Effects of Smoking Bans on Extended Care Units at State Psychiatric Hospitals. Hospital Comm Psychiatry, Sept. 1993, Vol. 44, No.9.

340-1124. Parviainen, Markku T. and R. Barlow. Assessment of exposure to environmental tobacco smoke using a high-performance liquid chromatographic method for the simultaneous determination of nicotine and two of its metabolotes in urine. J. Chromato, 431 (1988) 216-221.

340-1125. Pascual, Psyche. Teacher Wins Settlement Over Tobacco Smoke.

340-1126. Passive smoke exposure during pregnancy: Offspring cognitive development.

340-1127. Passive smoking in the workplace: selected issues. A staff paper.

340-1128. Passive smoking: only a question of time.

340-1129. Passive tobacco smoke.

340-1130. Parviainen, M. and Barlow, R. 1988. Assessment of exposure to environmental tobacco smoke using a high-performance liquid chromatographic method for the simultaneous determination f nicotine and two of its metabolites in urine. J. Chromatogr. 431(1):216-221.

340-1131. Pasqualucci, C. 1985. Effect of carbon monoxide on cardiovascular system. [Editorial] 45 (151-156, Sept.

340-1132. _____. 1987. Passive smoking in the workplace--nuisance or risk? Statement of the Green College Consensus Conference. Community Med. 9(3):209-215.

2046395701

ATTACHMENT IX
Exhibit 340

340-1133. _____. 1987. Passive smoking in utero: Its effects on neonatal appearance [Letter]. Br. Med. J. [Clin Res]. 295(6603):928-929.

340-1134. _____. 1988. Passive smoking and pregnancy. J. Occup. Med. 30(10):760.

340-1135. Patel, P. 1989. Workplace smoke-free zones the time has come. Health Hyg. 10(1):25-28.

340-1136. Patrianakos, C. and Hoffmann, D. 1979. Chemical studies on tobacco smoke LXXV. On the analysis of aromatic amines in cigarette smoke. J. Anal. Chem. 3:150-154.

340-1137. Patrick, Donald L., A. Cheadle, D. Thompson et al. The Validity of Self-Reported Smoking: A Review and Meta-Analysis. July 1994, Vol. 84, No.7. Am J Public Hlth.

340-1138. Pattishall, E., Strope, G., Etzel, R., Helms, R., Haley, N., and Denny, F. 1985. Serum cotinine as a measure of tobacco smoke exposure in children. Am. J. Dis. Child. 139(11):1101-1104. 8-250

340-1139. Peach, H. 1986. Tobacco: A major international health hazard. Smoking and respiratory disease excluding lung cancer. International Agency for Research on Cancer. World Health Organization. IARC Sci Publication No. 74.

340-1140. Pederson, L., Bull, S., Ashley, M., and Lefcoe, N. 1986. A population survey on legislative measures to restrict smoking in Ontario: 2. Knowledge, attitudes, and predicted behavior. Am. J. Prev. Med. 2(6):316-323.

340-1141. Pederson, L., Bull, S., Ashley, M., and Lefcoe, N. 1987. A population survey in Ontario regarding restrictive measures on smoking: Relationship of smoking status to knowledge, attitudes and predicted behaviour. Internat. J. Epidemiol. 16(3):383-391.

340-1142. Pedoe, H., Woodward, M. and Brown, C. Tea drinking, passive smoking, smoking deception and serum cotinine in the scottish heart health study. J Clin Epidemiol Vol. 44, No.12, pp.1411-1414, 1991.

340-1143. Pedreira, F., Guandolo, V., Feroli, E., et al. 1985. Involuntary smoking and incidence of respiratory illness during the first year of life. Pediatrics 75(3):594-597.

2046395702

Source: https://www.industrydocuments.ucsf.edu/docs/kzwl0000